

CARON® **CROCHET SLOUNGE CARDIGAN**

CAC0129-033325M | June 2, 2022



MATERIALS

Caron® Halo™ O'Go™ (8 oz/227 g; 481 yds/440 m)

Sizes XS/S M XL 2/3XL 4/5XL

Harbour Frost (28003) O'Gos 3

Size U.S. J/10 (6 mm) crochet hook or size needed to obtain gauge. Stitch markers. Yarn needle.







ABBREVIATIONS

Approx = Approximately

Beg = Beginning

Ch = Chain(s)

Cont = Continue(ity)

Dc = Double crochet

Hdc = Half double crochet

Hdc2(3)tog = Yoh and draw up a loop in each of next 2(3) stitches.

Yoh and draw through all loops on hook.

Pat = Pattern

PM = Place marker

Rem = Remain(ing)

Rep = Repeat

RS = Right side

Sc = Single crochet

Scbl = Single crochet in back

loop only

SI st = Slip stitch

St(s) = Stitch(es)

WS = Wrong side

Yoh = Yarn over hook

SIZES

To fit chest measurement

XS/S 28-34" [71-86.5 cm] M 36-38" [91.5-96.5 cm] 40-42" [101.5-106.5 cm] 44-46" [112-117 cm] XL 2/3XL 48-54" [122-137 cm]

4/5XL 56-62" [142-157.5 cm]

Finished chest

XS/S 44" [112 cm] 48" [122 cm] 52" [132 cm] 56" [142 cm] 2/3XL 60" [152.5 cm] 4/5XL 66" [167.5 cm]



CARON®

CROCHET SLOUNGE CARDIGAN

CAC0129-033325M | June 2, 2022

GAUGE

12 sts and 10 rows = 4" [10 cm] in Texture Pat.

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- To begin working with the O'Go format, carefully cut plastic tie where the ends of the O'Go meet.
- Pull tie to remove.
- Start crocheting!
- Ch 2 at beg of row **does not** count as st.
- Body is worked in one piece to armholes at which point Backs and Fronts are worked separately.

BODY **Ribbing

Ch 9.

1st row: 1 sc in 2nd ch from hook. 1 sc in each ch to end of ch. Turn. 8 sts.

2nd row: Ch 1. 1 scbl in each sc to end of row. Turn.

Rep last row until ribbing measures 43 (47-51-54-59-64)" [109 (119.5-129.5-137-150-162.5) cm], when slightly stretched, ending on a WS row. (**Do not** fasten off)

Next row: (RS). Ch 1. Work **129** (**143-153-161-177-193**) sc evenly across side edge of Ribbing. Turn.

Proceed in Texture Pat as follows:

1st row: (WS). Ch 1. SI st in first st. *1 dc in next st. SI st in next st. Rep from * to end of row. Turn.

2nd row: Ch 2. 1 hdc in each st to end of row. Turn.

Last 2 rows form Texture Pat.

Cont in Texture Pat until work from beg measures 22" [56 cm], ending on a WS row.

Divide for armholes:

LEFT FRONT: Shape armhole and front: Next row: (RS). Ch 2. Hdc3tog. 1 hdc in each of next **24** (28-30-32-34-36) sts. **Turn.** Leave rem sts unworked.

Cont working on **25** (29-31-**33-35**-**37**) sts.

Next row: Ch 1. SI st in first st. *1 dc in next st. SI st in next st. Rep from * to end of row. Turn.

Next row: Ch 2. Hdc3tog. 1 hdc in each st to end of row. Turn. **23** (27-29-31-33-35) sts.

Rep last 2 rows **0** (0-1-1-2-3) time(s) more. **23** (27-27-29-29) sts.

Proceed as follows:

1st row: Ch 1. Sl st in first st. *1 dc in next st. Sl st in next st. Rep from * to end of row. Turn.

2nd row: Ch 2. Hdc2tog. 1 hdc in each st to end of row. Turn. **22** (26-28-28-28) sts.

3rd row: Ch 2. *1 dc in next st. SI st in next st. Rep from * to end of row. Turn.

4th row: As 2nd row. **21** (25-25-27-27-27) sts.

Rep these 4 rows **3** (4-4-4-4) times more. **15** (17-17-19-19) sts.

Cont even in Texture Pat until armhole measures 9 (9-10-10-11-11½)" [23 (23-25.5-25.5-28-29) cm], ending on a WS row. Fasten off.

BACK

With RS facing, skip next 8 (8-8-8-12-16) sts. Join yarn with sl st to next st. Ch 2. 1 hdc in same sp as last sl st. 1 hdc in each of next 58 (64-70-74-78-82) sts. Turn. Leave rem sts unworked. Cont working on 59 (65-71-75-79-83) sts.

Cont even in Texture Pat until armhole measures **9** (9-10-10-11-11½)" [**23** (23-25.5-25.5-28-29) cm], ending on a WS row. Fasten off.



CARON **CROCHET SLOUNGE CARDIGAN**

CAC0129-033325M | June 2, 2022

RIGHT FRONT: 1st row: (RS). Skip next 8 (8-8-8-12-16) sts. Join yarn with sl st to next st. Ch 2. 1 hdc in same sp as last sl st. 1 hdc in each st to last 3 sts. Hdc3tog. Turn. 25 (29-31-33-35-37) sts.

2nd row: Ch 1. Sl st in first st. *1 dc end of row. Turn. in next st. SI st in next st. Rep from * to end of row. Turn.

3rd row: Ch 2. Hdc3tog. 1 hdc in each st to end of row. Turn. 23 (27-27-29-29) sts.

Proceed as follows:

1st row: Ch 1. SI st in first st. *1 dc in next st. SI st in next st. Rep from * to end of row. Turn.

2nd row: Ch 2. Hdc2tog. 1 hdc in each st to end of row. Turn. 22 (26-26-28-28-28) sts.

3rd row: Ch 2. *1 dc in next st. Sl st from * to end of row. Turn. in next st. Rep from * to end of row. 2nd row: Ch 2.2 hdc in first st. 1 hdc Turn.

4th row: As 2nd row. 21 (25-25-27- Turn. 31 (31-35-35-39-39) hdc. **27-27**) sts.

Rep these 4 rows 3 (4-4-4-4) times more. 15 (17-17-19-19) sts.

Cont even in Texture Pat until 41-41) hdc. armhole measures 9 (9-10-10-11-11½)" [**23** (**23**-25.5-**25**.5-28-29) cm], ending on a WS row. Fasten off.

SLEEVES

Ribbing: Ch 9.

1st row: 1 sc in 2nd ch from hook. 1 sc in each ch to end of ch. Turn. 8 sts.

2nd row: Ch 1. 1 scbl in each st to

Rep 2nd row until ribbing measures 91/2 (91/2-11-11-121/2-121/2)" [24 (24-28-28-32-32) cm], when slightly stretched, ending on a WS row. (Do **not** fasten off)

Next row: (RS). Ch 2. Work 29 (29-33-33-37) hdc evenly across long edge of ribbing.

Proceed in Texture Pat as follows: 1st row: (WS). Ch 1. SI st in first st. *1 dc in next st. SI st in next st. Rep

in each st to last st. 2 hdc in last st.

3rd row: Ch 2. *1 dc in next st. Sl st in next st. Rep from * to last st. 1 dc in last st. Turn.

4th row: As 2nd row. 33 (33-37-37-

Rep these 4 rows 6 (6-6-6-7) times more, then rep 1st and 2nd rows 0 (0-0-0-1-1) time more. 57 (57-61-61-67-71) sts.

Cont even in Texture Pat until Sleeve measures 181/2 (181/2-18-18-17-17)" [47 (47-45.5-45.5-43-43) cm] from beg, ending on a WS row. PM at each end of last row.

Work a further **2** (2-2-**2**-**4**-**6**) rows even in Texture Pat. Fasten off.

FINISHING

Sew shoulder seams.

Neck Edging: 1st row: (RS). Join yarn with sl st at lower edge of Right Front. Ch 1. Work 1 row of sc evenly up Right Front, across Back neck edge and down Left Front. Turn.

2nd row: (WS). Ch 1. 1 scbl in each st to end of row. Turn.

Rep 2nd row until Neck Edging measures 4 (4-4½-4½-5-5)" [10 (10-11.5-11.5-12.5-12.5) cm]. Fasten off.

Sew in Sleeves placing rows above markers along unworked sts of Front and Back to form square armholes. Sew side and sleeve seams.









