



KNIT
SKILL LEVEL
INTERMEDIATE

Designed by Heather Lodinsky

What you will need:

RED HEART® Boutique Midnight®:
9 (9,10,11,12) balls 1946
Persimmon

Susan Bates® Knitting Needles:
5.5mm [US 9] and 6mm [US 10]

Stitch markers, stitch holders,
cable needle, yarn needle

GAUGE: 16 sts = 4" (10 cm); 24
rows = 4" (10 cm) in Stockinette
st (k on right side, p on wrong
side) using larger needles. **CHECK
YOUR GAUGE.** Use any size
needles to obtain the gauge.



**RED HEART® Boutique
Midnight®, Art. E786,**
Available in 2.5 oz
(70g), 153 yd (140m)
balls



Cabled Coatigan

This warm, cozy sweater has been styled with interesting cables in an eye-catching shade. A blended chainette yarn with a bit of sparkle, you'll find it wonderful to knit with and a joy to have in your wardrobe.

Directions are for size Small. Changes for sizes Medium, Large, 1X and 2X are in parentheses

Finished Bust: 36 (40, 44, 48, 52)"
(91.5 (101.5, 112, 122, 132) cm)

Finished Length: 28 (28½, 29, 29½, 30)"
(71 (72.5, 73.5, 75, 76) cm)

Special Stitches

3/3 RC (3 over 3 Right Cross) = Slip next 3 stitches to cable needle and hold in back, k3, then k3 from cable needle.

3/1 LT (3 over 1 Left Twist) = Slip next 3 stitches to cable needle and hold in front, p1, then k3 from cable needle.

3/1 RT (3 over 1 Right Twist) = Slip next stitch to cable needle and hold in back, k3, then p1 from cable needle.

M1 = Make 1 (Increase) – Lift strand between needles to left-hand needle and work strand through the back loop, twisting it to prevent a hole, [knit or purl as indicated by pattern st].

Pattern Stitches

Cable Pattern (over 8 sts)

Row 1 (RS): 3/1 LT, 3/1 RT

Row 2: K1, p6, k1.

Row 3: P1, 3/3 RC, p1.

Row 4: K1, p6, k1.

Row 5: P1, k6, p1.

Row 6: K1, p6, k1.

Rows 7 and 8: Repeat last 2 rows.

Row 9: P1, 3/3 RC, p1.

Row 10: K1, p6, k1.

Row 11: 3/1 RT, 3/1 LT.

Row 12: P3, k2, p3.

Row 13: K3, p2, k3.

Row 14: P3, k2, p3.

Rows 15–32: Repeat last 2 rows 9 more times.
Repeat Rows 1–32 for Cable pattern.

BACK

Ribbing

With smaller needles, cast on 86 (94, 102, 110, 118) sts.

Row 1 (wrong side): P2, *k2, p2; repeat from * to end of row.

Row 2: K2, *p2, k2; repeat from * to end of row. Repeat last 2 rows until piece measures about 3" (7.5 cm) from beginning; end with a wrong side row.

Body

Change to larger needles.

Row 1 (right side): P16 (20, 24, 28, 32), [k1, M1, k1, p2, k1, M1, k1, p6] 4 times, k1, M1, k1, p2, k1, M1, k1, p16 (20, 24, 28, 32)—96 (104, 112, 120, 128) sts.

Row 2: K16 (20, 24, 28, 32), place marker, [p3, k2, p3, k6] 4 times, p3, k2, p3, place marker, k16 (20, 24, 28, 32).

Row 3: Purl to marker, slip marker, [work Row 1 of Cable pattern over 8 sts, p6, work Row 17 of Cable pattern over 8 sts, p6] twice, work Row 1 of Cable pattern over 8 sts, slip marker, purl to end of row.

Row 4: Knit to marker, slip marker, [work Row 2 of Cable pattern over 8 sts, k6, work Row 18 of Cable pattern over 8 sts, k6] twice, work Row 2 of Cable pattern over 8 sts, slip marker, knit to end of row.

Row 5: Purl to marker, slip marker, [work Row 3 of Cable pattern over 8 sts, p6, work Row 19 of Cable pattern over 8 sts, p6] twice, work Row 3 of Cable pattern over 8 sts, slip marker, purl to end of row.

Row 6: Knit to marker, slip marker, [work Row 4 of Cable pattern over 8 sts, k6, work Row 20 of Cable pattern over 8 sts, k6] twice, work Row 4 of Cable pattern over 8 sts, slip marker, knit to end of row.

Continued...

SHOP KIT



Note: In following rows, when instructed to “work in Cable pattern over 8 sts”, work the next row of the Cable pattern for that particular set of 8 sts. For example, if Row 20 was worked over the 8 sts in the previous row, then work Row 21 over the 8 sts in the next row.

Row 7: Purl to marker, slip marker, [work in Cable pattern over 8 sts, p6, work in Cable pattern over 8 sts, p6] twice, work in Cable pattern over 8 sts, slip marker, purl to end of row.

Row 8: Knit to marker, slip marker, [work in Cable pattern over 8 sts, k6, work in Cable pattern over 8 sts, k6] twice, work in Cable pattern over 8 sts, slip marker, knit to end of row.

Work in established pattern, repeating the last 2 rows and working next row of Cable pattern over each set of 8 sts, until piece measures about 7” (18 cm) from beginning; end with wrong side row.

Decrease Row (right side): P1, p2tog, purl to marker, slip marker, work in established pattern to next marker, slip marker, purl to last 3 sts, p2tog, p1—94 (102, 110, 118, 126) sts. Work even in established pattern until piece measures about 11” (28 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—92 (100, 108, 116, 124) sts.

Work even in established pattern until piece measures about 15” (38 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—90 (98, 106, 114, 122) sts.

Work even in established pattern until piece measures about 19” (48.5 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—88 (96, 104, 112, 120) sts.

Work even in established pattern until piece measures about 20” (51 cm) from beginning; end with a wrong side row.

Shape Armholes

Row 1 (right side): Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—84 (91, 98, 105, 112) sts.

Row 2: Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—80 (86, 92, 98, 104) sts.

Row 3: Bind off 2 sts, work in established pattern to end of row—78 (84, 90, 96, 102) sts.

Row 4: Bind off 2 sts, work in established pattern to end of row—76 (82, 88, 94, 100) sts.

Row 5: Bind off 1 st, work in established pattern to end of row—75 (81, 87, 93, 99) sts.

Row 6: Bind off 1 st, work in established pattern to end of row—74 (80, 86, 92, 98) sts.

Rows 7 and 8: Repeat Rows 5 and 6—72 (78, 84, 90, 96) sts.

Work even in established pattern until armhole measures about 7 (7½, 8, 8½, 9)” (18 (19, 20.5, 21.5, 23) cm); end with a wrong side row.

Shape Shoulders

Next 6 Rows: Bind off 6 (6, 7, 7, 8) sts, work in established pattern to end of row—36 (42, 42, 48, 48) sts. Bind off.

LEFT FRONT

Ribbing

With smaller needles, cast on 51 (55, 59, 63, 67) sts.

Row 1 (wrong side): K1, *p2, k2; repeat from * to last 2 sts, p2.

Row 2: *K2, p2; repeat from * to last 3 sts, k3. Repeat last 2 rows until piece measures about 3” (7.5 cm) from beginning; end with a wrong side row.

Body

Change to larger needles.

Row 1 (right side): P16 (20, 24, 28, 32), [k1, M1, k1, p2, k1, M1, k1, p6] twice, [k2, p2] twice, k3—55 (59, 63, 67, 71) sts.

Row 2: K1, p2, [k2, p2] twice, [k6, p3, k2, p3] twice, place marker, k16 (20, 24, 28, 32).

Row 3: Purl to marker, slip marker, work Row 1 of Cable pattern over 8 sts, p6, work Row 17 of Cable pattern over 8 sts, p6, [k2, p2] twice, k3.

Row 4: K1, p2, [k2, p2] twice, k6, work Row 18 of Cable pattern over 8 sts, k6, work Row 2 of Cable pattern over 8 sts, slip marker, knit to end of row.

Row 5: Purl to marker, slip marker, [work Row 3 of Cable pattern over 8 sts, p6, work Row 19 of Cable pattern over 8 sts, p6, [k2, p2] twice, k3.

Row 6: K1, p2, [k2, p2] twice, k6, work Row 20 of Cable pattern over 8 sts, k6, work Row 4 of Cable pattern over 8 sts, slip marker, knit to end of row.

Row 7: Purl to marker, slip marker, work in Cable pattern over 8 sts, p6, work in Cable pattern over 8 sts, p6, [k2, p2] twice, k3.

Row 8: K1, p2, [k2, p2] twice, k6, work in Cable pattern over 8 sts, k6, work in Cable pattern over 8 sts, slip marker, knit to end of row.

Work in established pattern, repeating the last 2 rows and working next row of Cable pattern over each set of 8 sts, until piece measures about 7” (18 cm) from beginning; end with wrong side row.

Decrease Row (right side): P1, p2tog, purl to marker, slip marker, work in established pattern to end of row—54 (58, 62, 66, 70) sts. Work even in established pattern until piece measures about 11” (28 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—53 (57, 61, 65, 69) sts. Work even in established pattern until piece measures about 15” (38 cm) from beginning;

end with a wrong side row.

Repeat Decrease Row—52 (56, 60, 64, 68) sts. Work even in established pattern until piece measures about 19” (48.5 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—51 (55, 59, 63, 67) sts. Work even in established pattern until piece measures about 20” (51 cm) from beginning; end with a wrong side row.

Shape Armhole

Row 1 (right side): Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—47 (50, 53, 56, 59) sts.

Row 2: Work in established pattern to end of row.

Row 3: Bind off 2 sts, work in established pattern to end of row—45 (48, 51, 54, 57) sts.

Row 4: Work in established pattern to end of row.

Row 5: Bind off 1 st, work in established pattern to end of row—44 (47, 50, 53, 56) sts.

Row 6: Work in established pattern to end of row.

Rows 7 and 8: Repeat Rows 5 and 6—43 (46, 49, 52, 55) sts.

Work even in established pattern until armhole measures about 5 (5½, 6, 6½, 7)” (12.5 (14, 15, 16.5, 23) cm); end with a right side row.

Shape Neck

Row 1 (wrong side): K1, p2, [k2, p2] twice, k2, slip 13 sts just knit to a holder for front band, work in established pattern to end of row—30 (33, 36, 39, 42) sts.

Row 2: Work in established pattern to end of row.

Row 3: Bind off 5 (8, 8, 11, 11) sts, work in established pattern to end of row—25 (25, 28, 28, 31) sts.

Continued...

Row 4: Work in established pattern to end of row.

Row 5: Bind off 3 sts, work in established pattern to end of row—22 (22, 25, 25, 28) sts.

Row 6: Work in established pattern to end of row.

Row 7: Bind off 2 sts, work in established pattern to end of row—20 (20, 23, 23, 26) sts.

Row 8: Work in established pattern to end of row.

Row 9: Bind off 1 st, work in established pattern to end of row—19 (19, 22, 22, 25) sts.

Rows 10 and 11: Repeat last 2 rows—18 (18, 21, 21, 24) sts.

Work even in established pattern until piece measures same as back to shoulder; end with a wrong side row.

Shape Shoulder

Row 1 (right side): Bind off 6 (6, 7, 7, 8) sts, work in established pattern to end of row—12 (12, 14, 14, 16) sts.

Row 2: Work in established pattern to end of row.

Repeat last 2 rows 2 more times.

Fasten off last st.

RIGHT FRONT

Ribbing

With smaller needles, cast on 51 (55, 59, 63, 67) sts.

Row 1 (right side): K3, *p2, k2; repeat from * to end of row.

Row 2: *P2, k2; repeat from * to last 3 sts, p2, k1.

Repeat last 2 rows until piece measures about 3" (7.5 cm) from beginning; end with a wrong side row.

Body

Change to larger needles.

Row 1 (right side): K3, [p2, k2] twice, [p6, k1, M1, k1, p2, k1, M1, k1] twice, p16 (20, 24, 28, 32)—55 (59, 63, 67, 71) sts.

Row 2: K16 (20, 24, 28, 32), place marker, [p3, k2, p3, k6] twice, [p2, k2] twice, p2, k1.

Row 3: K3, [p2, k2] twice, p6, work Row 17 of Cable pattern over 8 sts, p6, work Row 1 of Cable pattern over 8 sts, slip marker, purl to end of row.

Row 4: Knit to marker, slip marker, work Row 2 of Cable pattern over 8 sts, k6, work Row 18 of Cable pattern over 8 sts, k6, [p2, k2] twice, p2, k1.

Row 5: K3, [p2, k2] twice, p6, work Row 19 of Cable pattern over 8 sts, p6, work Row 3 of Cable pattern over 8 sts, slip marker, purl to end of row.

Row 6: Knit to marker, slip marker, work Row 4 of Cable pattern over 8 sts, k6, work Row 20 of Cable pattern over 8 sts, k6, [p2, k2] twice, p2, k1.

Row 7: K3, [p2, k2] twice, p6, work in Cable pattern over 8 sts, p6, work in Cable pattern over 8 sts, slip marker, purl to end of row.

Row 8: Knit to marker, slip marker, work in Cable pattern over 8 sts, k6, work in Cable pattern over 8 sts, k6, [p2, k2] twice, p2, k1.

Work in established pattern, repeating the last 2 rows and working next row of Cable pattern over each set of 8 sts, until piece measures about 7" (18 cm) from beginning; end with wrong side row.

Decrease Row (right side): Work in established pattern to last 3 sts, p2tog, p1—54 (58, 62, 66, 70) sts.

Work even in established pattern until piece measures about 11" (28 cm) from beginning; end with a wrong side row.

Repeat Decrease Row—53 (57, 61, 65, 69) sts.

Continued...





Work even in established pattern until piece measures about 15" (38 cm) from beginning; end with a wrong side row.
Repeat Decrease Row—52 (56, 60, 64, 68) sts.
Work even in established pattern until piece measures about 19" (48.5 cm) from beginning; end with a wrong side row.
Repeat Decrease Row—51 (55, 59, 63, 67) sts.
Work even in established pattern until piece measures about 20" (51 cm) from beginning; end with a right side row.

Shape Armhole

Row 1 (wrong side): Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—47 (50, 53, 56, 59) sts.
Row 2: Work in established pattern to end of row.
Row 3: Bind off 2 sts, work in established pattern to end of row—45 (48, 51, 54, 57) sts.
Row 4: Work in established pattern to end of row.
Row 5: Bind off 1 st, work in established pattern to end of row—44 (47, 50, 53, 56) sts.
Row 6: Work in established pattern to end of row.
Rows 7 and 8: Repeat Rows 5 and 6—43 (46, 49, 52, 55) sts.

Work even in established pattern until armhole measures about 5 (5½, 6, 6½, 7)" (12.5 (14, 15, 16.5, 23) cm); end with a wrong side row.

Shape Neck

Row 1 (right side): K3, [p2, k2] twice, p2, slip 13 sts just knit to a holder for front band, work in established pattern to end of row—30 (33, 36, 39, 42) sts.
Row 2: Work in established pattern to end of row.

Row 3: Bind off 5 (8, 8, 11, 11) sts, work in established pattern to end of row—25 (25, 28, 28, 31) sts.
Row 4: Work in established pattern to end of row.
Row 5: Bind off 3 sts, work in established pattern to end of row—22 (22, 25, 25, 28) sts.
Row 6: Work in established pattern to end of row.
Row 7: Bind off 2 sts, work in established pattern to end of row—20 (20, 23, 23, 26) sts.
Row 8: Work in established pattern to end of row.
Row 9: Bind off 1 st, work in established pattern to end of row—19 (19, 22, 22, 25) sts.
Rows 10 and 11: Repeat last 2 rows—18 (18, 21, 21, 24) sts.
Work even in established pattern until piece measures same as back to shoulder; end with a right side row.

Shape Shoulder

Row 1 (wrong side): Bind off 6 (6, 7, 7, 8) sts, work in established pattern to end of row—12 (12, 14, 14, 16) sts.
Row 2: Work in established pattern to end of row.
Repeat last 2 rows 2 more times.
Fasten off last st.

SLEEVES (make 2)

Ribbing

With smaller needles, cast on 38 (38, 46, 46, 46) sts.
Row 1 (wrong side): P2, *k2, p2; repeat from * to end of row.
Row 2: K2, *p2, k2; repeat from * to end of row.
Repeat last 2 rows until piece measures 3" (7.5 cm) from beginning; end with a wrong side row.

Body

Change to larger needles.

Row 1 (right side): P4 (4, 8, 8, 8), [k1, M1, k1, p2, k1, M1, k1, p6] twice, k1, M1, k1, p2, k1, M1, k1, p4 (4, 8, 8, 8)—44 (44, 52, 52, 52) sts.
Row 2: K4 (4, 8, 8, 8), place marker, [p3, k2, p3, k6] twice, p3, k2, p3, place marker, k4 (4, 8, 8, 8).
Row 3: Purl to marker, slip marker, work Row 17 of Cable pattern over 8 sts, p6, work Row 1 of Cable pattern over 8 sts, p6, work Row 17 of Cable pattern over 8 sts, slip marker, purl to end of row.
Row 4: Knit to marker, slip marker, work Row 18 of Cable pattern over 8 sts, k6, work Row 2 of Cable pattern over 8 sts, k6, work Row 18 of Cable pattern over 8 sts, slip marker, knit to end of row.
Increase Row (right side): P1, M1, work in established pattern to last st, M1, p1—46 (46, 54, 54, 54).
Work even in established pattern for 5 rows.
Repeat Increase Row—48 (48, 56, 56, 56).
Repeat last 6 rows 9 (10, 9, 10, 11) more times—66 (68, 74, 76, 78) sts.
Work even in established pattern until piece measures 17" (43 cm) from beg; end with a wrong side row.

Shape Cap

Row 1 (right side): Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—62 (63, 68, 69, 70) sts.
Row 2: Bind off 4 (5, 6, 7, 8) sts, work in established pattern to end of row—58 (58, 62, 62, 62) sts.
Row 3: Bind off 2 sts, work in established pattern to end of row—56 (56, 60, 60, 60) sts.
Row 4: Bind off 2 sts, work in established pattern to end of row—54 (54, 58, 58, 58) sts.
Row 5: P1, p2tog, work in established pattern to last 3 sts, p2tog, p1—52 (52, 56, 56, 56) sts.

Row 6: Work in established pattern.
Repeat last 2 rows 13 (13, 15, 15, 15) more times—26 sts remain.
Next 4 Rows: Bind off 3 sts, work in established pattern to end of row—14 sts.
Bind off remaining 14 sts.

FINISHING

Sew shoulder seams.



Neckband

Row 1 (right side): Slip the 13 right front band sts from holder onto smaller needles, with same needle, join yarn and pick up and k16 (20, 20, 24, 24) sts up right front neck edge to left shoulder, pick up and k34 (38, 38, 42, 42) sts across back neck, pick up and k16 (20, 20, 24, 24) sts down left front neck, work across the 13 left front band sts from holder, as follows: p2, [k2, p2] twice, k3—92 (104, 104, 116, 116) sts.
Row 2: K1, p2, *k2, p2; repeat from * to last st, k1.
Row 3: K3, p2, *k2, p2; repeat from * to last 3 sts, k3.
Repeat last 2 rows for 2" (5 cm); end with a WS row.
Next Row: Knit.
Next Row: Knit.
Next Row (right side): Purl.
Repeat last 2 rows once more.
Bind off all sts as if to knit.
Sew in sleeves. Sew side and sleeve seams.
Weave in ends.


ABBREVIATIONS

k = knit; p = purl; p2tog = purl next 2 sts together; st(s) = stitch(es); [] = work directions in brackets the number of times specified; * = repeat whatever follows the * as indicated.

See schematics and chart on next page



Cable Pattern



- knit on RS, purl on WS
- purl on RS, knit on WS
- 3/3 RC (3 over 3 right cross)
- 3/1 LT (3 over 1 left twist)
- 3/1 RT (3 over 1 right twist)
- repeat