



Katherine Poole-Fournier
Designer

SUPER FINE



CROCHET | SKILL LEVEL: **INTERMEDIATE**

ABBREVIATIONS

Alt = Alternate

Beg = Beginning

Ch = Chain(s)

Cont = Continue(ity)

Dc = Double crochet

Dcbp = Yoh and draw up a loop

around post of indicated stitch, inserting hook from back to front to back. (Yoh and draw through 2 loops on hook) twice.

Dcfp = Yoh and draw up a loop around post of indicated stitch, inserting hook from front to back to front. (Yoh and draw through 2 loops on hook) twice.

Pat = Pattern

PM = Place marker

Rem = Remain(ing)

Rep = Repeat

Rnd(s) = Round(s)

RS = Right side

Sc = Single crochet

Sc2tog = Draw up a loop in each of next 2 stitches. Yoh and draw through all loops on hook.

Sl st = Slip stitch

Sp(s) = Space(s)

St(s) = Stitch(es)

Tog = Together

Trfp = (Yoh) twice and draw up a loop around post of indicated stitch, inserting hook from front to back to front. (Yoh and draw through 2 loops on hook) 3 times.

WS = Wrong side

Yoh = Yarn over hook

MATERIALS

Patons® Kroy Socks™ (1.75 oz/50 g; 166 yds/152 m)

Sizes	S	M	L	
Flax (55011)	2	2	3	balls

Size U.S. D/3 [3.25 mm] Susan Bates® Silvalume™ crochet hook **or size needed to obtain gauge.** Susan Bates® steel yarn needle. Susan Bates® split-lock stitch count markers.

SIZES

To fit U.S. Women's Shoe Sizes

S	4-6½
M	7-9½
L	10-12½

Finished foot length

S	9" [23 cm]
M	10" [25.5 cm]
L	11" [28 cm]

GAUGE

22 sc and 24 rnds = 4" [10 cm].

INSTRUCTIONS

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). Numbers for each size are shown in the same color throughout the pattern. When only one number is given in black, it applies to all sizes.

Notes:

- Socks are worked from toe up.
- Rnds are joined with sl st to first sc/dc, excluding toe rnds which are worked as s.
- Ch 2 at beg of rnd **does not** count as st.

See video link [here](#).

Toe is worked in a continuous spiral. **Do not** work ch at beg of rnd; simply work directly into next st (noting marker to indicate end of rnd moves up each rnd).



Beg using magic loop method, demonstrated [here](#).

1st rnd: Ch 1. 10 sc in ring.

2nd and alt rnds: 1 sc in each st around.

3rd rnd: 2 sc in first st. 2 sc in each st around. 20 sc.

5th rnd: 2 sc in first st. 1 sc in next st. *2 sc in next st. 1 sc in next st. Rep from * around. 30 sc.


7th rnd: 2 sc in first st. 1 sc in each of next 2 sts. *2 sc in next st. 1 sc in each of next 2 sts. Rep from * around. 40 sc.

9th rnd: 2 sc in first st. 1 sc in each of next 3 sts. *2 sc in next st. 1 sc in each of next 3 sts. Rep from * around. 50 sc.

11th rnd: 2 sc in first st. 1 sc in each of next **24 (9-4)** sts. *2 sc in next st. 1 sc in each of next **24 (7-4)** sts. Rep from * around. **52 (56-60)** sc. Turn.

Note: From this point forward, all rnds are **joined and turned**.


12th rnd: (WS). Ch 1. 1 sc in each sc to end of rnd. Join. **Turn**.



CABLE PATTERN

STITCH KEY

- + = single crochet (sc)
- ⌋ = front post double crochet (dcfp)
- ⌋ = front post treble crochet (trfp)



FIRST POST STITCH



FIRST CROSSED TREBLES

See video link [here](#).

Beg working in Cable Pat on page 2 as follows:

1st rnd: (RS). Ch 2. 1 dcfp around post of next st 2 rnds below. 1 sc in each of next 2 sc. (1 dcfp around post of next st 2 rnds below) twice. 1 sc in each of next 2 sc. Skip next 2 sts. (1 trfp around post of next st 2 rnds below) twice. *Working behind 2 trfp just made*, 1 trfp around post of each of 2 skipped sts 2 rnds below. 1 sc in each of next 2 sc. (1 dcfp around post of next st 2 rnds below) twice. 1 sc in each of next 2 sc. 1 dcfp around post of next st 2 rnds below. 1 sc in each st to end of rnd. Join. Turn.

2nd and alt rnds: (WS). Ch 1. 1 sc in each st to end of rnd. Join. Turn.

3rd rnd: Ch 2. 1 dcfp around post of next st 2 rnds below. 1 sc in each of next 2 sc. (1 dcfp around post of next st 2 rnds below) twice. 1 sc in each of next 2 sc. (1 dcfp around post of next st 2 rnds below) 4 times. 1 sc in each of next 2 sc. (1 dcfp around post of next st 2 rnds below) twice. 1 sc in each of next 2 sc. 1 dcfp around post of next st 2 rnds below. 1 sc in each st to end of rnd. Join. Turn.

5th rnd: As 1st rnd.

7th rnd: Ch 2. 1 dcfp around post of next st 2 rnds below. 1 sc in each of next 3 sc. (1 trfp around post of next dcfp 2 rnds below) twice. (1 trfp around post of next trfp 2 rnds below) twice. 1 sc in each of next 2 sc. (1 trfp around post of next trfp 2 rnds below) twice. (1 trfp around post of next dcfp 2 rnds below) twice. 1 sc in each of next 3 sc. 1 dcfp around post of next st 2 rnds below. 1 sc in each st to end of rnd. Join. Turn.

9th rnd: Ch 2. 1 dcfp around post of next st 2 rnds below. 1 sc in each of next 3 sc. Skip next 2 sts. (1 trfp around post of next trfp 2 rnds below) twice. *Working behind 2 trfp just made*, 1 trfp around post of each of 2 skipped sts 2 rnds below. 1 sc in each of next 2 sc. Skip next 2 sts. (1 trfp around post of next trfp 2 rnds below) twice. *Working in front of 2 trfp just made*, 1 trfp around post of each of 2 skipped sts 2 rnds below. 1 sc in each of next 3 sc. 1 dcfp around post of next st 2 rnds below. 1 sc in each st to end of rnd. Join. Turn.

11th rnd: Ch 2. 1 dcfp around post of next st 2 rnds below. 1 sc in each of next 2 sc. (1 trfp around post of next trfp 2 rnds below) twice. 1 sc in each of next 2 sc. (1 trfp around post of next trfp 2 rnds below) 4 times. 1 sc in each of next 2 sc. (1 trfp around post of next trfp 2 rnds below) twice. 1 sc in each of next 2 sc. 1 dcfp around post of next st 2 rnds below. 1 sc in each st to end of rnd. Join. Turn.

13th rnd: As 3rd rnd.

14th rnd: As 2nd rnd.

Rep these 14 rnds for Cable Pat.

Cont in Cable Pat until Sock measures **5½ (6½-7½)" [14 (16.5-19) cm]** from first rnd of Cable Pat, ending after a RS row.



See video link [here](#).

Make heel opening: Next rnd: (WS). Ch 1. 1 sc in each of next **4 (5-6)** sc. Ch **26 (28-30)** loosely. Skip next **26 (28-30)** sts. 1 sc in each st to end of rnd. Join. Turn.

Note: Heel will be 'filled in' during last step in sock pattern.

Cable set-up rnd: Work as given for next RS row of Cable Panel Pat, completing rnd by working 1 sc in each of **26 (28-30)** ch. Cable Pat is now in position. Resume Cable Pat as established, beg on a WS rnd of pat, until work from heel divide measures **1½ (2-2½)" [4 (5-6.5) cm]**.

Note: Ribbing and Heels are worked in continuous rnds; work is not turned after joining.

Next rnd: Ch 2. 1 dcbp around next st. 1 hdc in each of next 2 sts. 1 dcbp around next st. 1 dcbp around next st. 1 hdc in each of next 2 sts. (1 dcbp around next st. 1 dcbp around next st) twice. 1 hdc in each of next 2 sts. 1 dcbp around next st. 1 dcbp around next st. 1 hdc

in each of next 2 sts. 1 dcbp around next st. 1 hdc in each st to end of row. Join. Turn.

Ribbing: 1st to 5th rnds: Ch 2. *1 dcbp around next st. 1 dcbp around next st. Rep from * around. Join. Fasten off.



JOINING FOR HEEL

Heel

1st rnd: With RS of bottom of Sock facing, rejoin yarn with sl st in **14th (15th-16th)** rem loop of heel opening chain. Ch 1. 1 sc in same sp. 1 sc in each of next **12 (13-14)** ch. 1 sc in each of next **26 (28-30)** sts. 1 sc in each of rem **13 (14-15)** ch. Join. **52 (56-60)** sts.

2nd rnd: Ch 1. 1 sc in same sp as last sl st. 1 sc in each of next **11 (12-13)** sc. Sc2tog. 1 sc in next sc. PM on last sc for side. Sc2tog. 1 sc in each of next **21 (23-25)** sc. Sc2tog. 1 sc in next sc. PM on last sc for side. Sc2tog. 1 sc in each of last **10 (11-12)** sc. Join with sl st to first sc. **48 (52-56)** sts.

3rd rnd: Ch 1. 1sc in each st around, maintaining placement of markers. Join with sl st to first sc.

4th rnd: Ch 1. 1 sc in same sp as last sl st. (1 sc in each sc until 2 sc before next marked sc. Sc2tog. 1 sc in marked side sc. Sc2tog) twice. 1 sc in each sc to end of rnd. Join with sl st to first sc. Rep last 2 rnds twice more. **40 (44-48)** sts.

Next rnd: Ch 1. 1 sc in same sp as last sl st. (1 sc in each sc until 2 sc before next marked sc. Sc2tog. 1 sc in marked side sc. Sc2tog) twice. 1 sc in each sc to end of rnd. Join with sl st to first sc. **36 (40-44)** sts. Rep last rnd **5 (6-6)** times more. **16 (16-20)** sc.

Break yarn leaving an end 24" [61 cm] long. Turn Sock inside out and fold flat. Place rem sts tog and using yarn end, sew Heel sts tog. Fasten off.

